



**KSSEM**

**K.S. SCHOOL OF ENGINEERING AND MANAGEMENT, BENGALURU 560109**  
**DEPARTMENT OF BASIC SCIENCE**

Date: 15/06/2022

**CIRCULAR**

The faculty lab in charge of Engineering Chemistry and Physics laboratory are instructed to submit the stock verification report on or before 18/6/2021.

  
**Head of the Department**





**K.S. SCHOOL OF ENGINEERING AND MANAGEMENT, BENGALUR560109**  
**DEPARTMENT OF BASIC SCIENCE**

**Stock Verification for the Academic year 2021-2022**

Name of the Laboratory	Lab In Charge	Name of the Internal Verifier	Signature of the Internal Verifier	Name of the External Verifier	Signature of the External Verifier
Engineering Chemistry	Dr. Swarna S	Dr. Radha H.R.		Prof. Tejaswini	
Engineering Physics	Prof. Pavithra J	Prof. Keerthi A		Prof. Hema Priya M	

Head of the Department

## Kammavari Sangham (R) Stock Verification Report

Department BASIC SCIENCE - CHEMISTRY  
Laboratory CHEMISTRY LABORATORY

Date : 17-06-2022

Sl. No.	Equipment/ Tool/ Instrument/comodity	Stock Book Page No	Quantity in stock	Supplied by	Date of Procurement	Invoice No	Price / Unit	Total Cost	Present condition of the Equipment/ Tool/ Instrument/comodity (Working/under working)	Remarks
1	Colorimeter	5	3	Vasa Scientific co	28/08/2010	CR4346	9539	28608	one working two not working	two should be Repair
2	Conductivty Meter	7	3	Vasa Scientific co	28/08/2010	CR4346	10300	30900	Two working and one not working	One should be Repair
3	Electronic Weighing Balance	3	1	Vasa Scientific co	28/08/2010	CR4346	65000	65000	Working	
4	FlamePhotometer	10	1	Vasa Scientific co	28/08/2010	CR4346	37880	37880	not Working	should be Repair
5	Hot plate	14	2	Vasa Scientific co	28/08/2010	CR4346	7000	14000	working	
6	Hot air oven	13	1	Vasa Scientific co	28/08/2010	CR4346	29040	29040	Working	
7	Magnetic Stirrer	15	7	Vasa Scientific co	28/08/2010	CR4346	12.14	97.12	Working	
8	pH meter	16	3+2	Vasa Scientific / pooja scie	28/08/2010 & 28/12/2021.	CR4346	7495 +12750	55480	Two working and three notworking	three should be Repair
9	Potentiometer	18	3	Vasa Scientific / pooja scie	28/08/2010 & 28/12/2021	CR4346	8075	32300	two Working	One should be Repair
10	pH Electrode	17	3+3	Vasa Scientific & pooja scie	28/08/2010 & 28/12/2021	CR4346	990+850	5520	working	
11	Conductivty Electrode	32	4+2	Vasa Scientific & pooja scie	28-08-2010 & 28/12/2021	CR4346	1100+825	6050	Working	
12	R O System	100	1	spectra sales and service	25/08/2010	349	12000	12000	Working	
13	Stop Watch	20	10+10	Vasa Scientific co	03-08-2019 & 28/12/2021	CR1812239	261+260	5471	five not Working	
14	ViscoMeter	96	22+10	Vasa Scientific co & pooja s	03-08-2019 & 28/12/2021	CR1813076	250+160	7850	Working	
15	Burette	29	80	Vasa Scientific co	8/3/2019	CR1812239	406	32480	Working	
16	Conical Flask	94	50	Raghavendra Scientific Wo	15/03/2018	7189	85	4250	Working	

Name of the verifier	<u>Tejashree G.V.</u>	<u>Dr. Ravalha H L</u>		
Signature	<i>[Signature]</i>	<i>[Signature]</i>		
Designation	<u>Assistant Professor</u>	<u>Asst. Professor</u>		
Department	<u>EEE</u>	<u>Chemistry</u>		

Susha 17/6/22  
Signature of the Lab Incharge

[Signature]  
Signature of the HOD  
**Dr. C. VASUDEV**  
Professor & Head  
Department of Basic Science  
KS School of Engineering and Management  
Bangalore - 560 109.

[Signature]  
Signature of the Principal  
**Dr. K. RAMA NARASIMHA**  
Principal/Director  
KS School of Engineering and Management  
Bangaluru - 560 109



**Kammavari Sangham (R)**  
**Stock Verification Report**

Department BASIC SCIENCE - CHEMISTRY  
Laboratory CHEMISTRY LABORATORY

Date : 17/06/2022

Sl. No.	Equipment/ Tool/ Instrument/comodity	Stock Book Page No	Quantity In stock	Supplied by	Date of Procurement	Invoice No	Price / Unit	Total Cost	Present condition of the Equipment/ Tool/ Instrument/comodity (Working/under repair/Maintenance required/ scrap)	Remarks
1	Pipette	41	70	Ragavendra Scientific words	15/03/2019	7189	85	5950	working	
2	Volumetric flask (250 ml)	97	62	Ragavendra Scientific words	15/03/2019	7189	245	15190	working	
3	Volumetric flask (50 ml)	49	16	Ragavendra Scientific words	15/03/2019	7189	158	2528	working	
4	Water Bottle	53	85	Ragavendra Scientific words	15/03/2019	7189	55	4675	working	
5	Burette Clamp	71	10+25	Ragavendra Scientific words	15/03/2019	7189	80	2800	working	
6	Bulb Pipette	65	57+10	Ragavendra Scientific & pooja scient	5/03/2019 & 28/12/202	7189	142	10610	working	
7	Thermometer	93	4	Ragavendra Scientific & pooja scient	5/09/2019 & 28/12/202	6202	190	760	working	
8	Weighing Bottle	92	30	Ragavendra Scientific words	15/09/2019	6202	62	1860	working	
9	Beaker ( 100 ml )	89	30	Ragavendra Scientific words	15/09/2019	6202	62	1860	working	
10	Reagent Bottle	91	60	vasa scientific co	8/3/2019	5442	30	1800	working	
11	Glass Rods	37	40	Ragavendra Scientific words	15/03/2019	7189	10	400	working	
12	Dropper	34	15	Ragavendra Scientific words	15/03/2019	7189	14	210	working	
13	Beakers(250 ml)	24	25	vasa scientific co	28/08/2019	4344	43	1075	working	
14	Funnel	81	18	vasa scientific co	31/10/2019	7228	9.4	165	working	
15	Beakers(2000 ml)	27	2	vasa scientific co	31/10/2019	7228	136	272	working	
16	Beakers(500 ml)	25	8	vasa scientific co	28/08/2019	4344	71	568	working	

Name of the verifier	T. Jaewini G.V.	Dr. Radha H.R.		
Signature	<i>[Signature]</i>	<i>[Signature]</i>		
Designation	Assistant Professor	Asst. Professor		
Department	EEE	Chemistry		

*[Signature]*  
Signature of the Lab Incharge

*[Signature]*  
Signature of the HOD

*[Signature]*  
Signature of the Principal

**DR. G. VASUDEVA**  
Professor & Head  
Department of Basic Science  
K S School of Engineering and Management,  
Bengaluru - 560 100.

**DR. K. RAMA NARASIMHA**  
Principal/Director  
K S School of Engineering and Management,  
Bengaluru - 560 100.



K.S. SCHOOL OF ENGINEERING AND MANAGEMENT, BENGALURU-560109  
DEPARTMENT OF BASIC SCIENCE

Date:18 /11/2022

**CIRCULAR**

The faculty lab in charge of Engineering Chemistry and Physics laboratory are instructed to submit the stock verification report on or before 28/11/2022.

*C. Vasudev 18/11/2022*  
Head of the Department

**Dr. C. VASUDEV**  
Professor & Head  
Department of Basic Science  
KS School of Engineering and Management  
Bangalore - 560 109.





K.S. SCHOOL OF ENGINEERING AND MANAGEMENT, BENGALURU-560109

DEPARTMENT OF BASIC SCIENCE

Stock Verification for the Academic year 2022

Name of the Laboratory	Lab In Charge	Name of the Internal Verifier	Signature of the Internal Verifier	Name of the External Verifier	Signature of the External Verifier
Engineering Chemistry	Dr.Radha.H.R	Dr. Swarna.S.		Prof. Tejaswini from EEE Dept.	
Engineering Physics	Prof. Keerthi N	Prof.Kusuma.M.		Prof. Hema Priya M from EEE Dept.	

Head of the Department

**Dr. C. VASUDEV**  
Professor & Head  
Department of Basic Science  
KS School of Engineering and Management  
Bangalore - 560 109.







Department  
Laboratory

BASIC SCIENCE - CHEMISTRY  
CHEMISTRY LABORATORY

## Kammavari Sangham (R) Stock Verification Report

Date: 26-11-2022

Sl. No.	Equipment/ Tool/ Instrument/commodity	Stock Book Page No	Quantity in stock	Supplied by	Date of Procurement	Invoice No	Price / Unit	Total Cost	Present condition of the Equipment/ Tool/ Instrument/commodity (Working/under)	Remarks
1	Colorimeter	5	3	Vasa Scientific co	28/08/2010	CR4346	9539	28608	three working	
2	Conductivity Meter	7	3	Vasa Scientific co	28/08/2010	CR4346	10300	30900	Two working and one not working	One should be Repair
3	Electronic Weighing Balance	3	1	Vasa Scientific co	28/08/2010	CR4346	65000	65000	Working	
4	FlamePhotometer	10	1	Vasa Scientific co	28/08/2010	CR4346	37880	37880	not Working	should be Repair
5	Hot plate	14	2	Vasa Scientific co	28/08/2010	CR4346	7000	14000	working	
6	Hot air oven	13	1	Vasa Scientific co	28/08/2010	CR4346	29040	29040	Working	
7	Magnetic Stirrer	15	7	Vasa Scientific co	28/08/2010	CR4346	12.14	97.12	Working	
8	pH meter	16	3+2	Vasa Scientific / pooja scientific	28/08/2010 & 28/12/2021	CR4346	7495 +12750	55480	four working and	one notworking
9	Potentiometer	18	3	Vasa Scientific / pooja scientific	28/08/2010 & 28/12/2021	CR4346	8075	32300	three Working	
10	pH Electrode	17	3+3	Vasa Scientific & pooja scientific	28/08/2010 & 28/12/2021	CR4346	990+850	5520	working	
11	Conductivity Electrode	32	4+2	Vasa Scientific & pooja scientific	28-08-2010 & 28/12/2021	CR4346	1100+825	6050	Working	
12	R O System	100	1	spectra sales and service	25/08/2010	349	12000	12000	Working	
13	Stop Watch	20	10+10	pooja scientific	03-08-2019 & 28/12/2021	CR1812239	261+260	5471	five not Working	
14	ViscoMeter	96	22+10	Vasa Scientific co & pooja scien	03-08-2019 & 28/12/2021	CR1813076	250+160	7850		
15	Burette	29	80	pooja scientific	8/3/2019	CR1812239	406	32480		
16	Conical Flask	94	50	pooja scientific	15/03/2018	7189	85	4250		

Name of the verifier	Tejaswini G.V.		
Signature	<i>[Signature]</i>		
Designation	Assistant Professor		
Department	EEE		

Signature of the Lab Incharge

*[Signature]*  
Signature of the HOD  
**Dr. C. VASUDEV**  
Professor & Head  
Department of Basic Science  
K S School of Engineering and Management  
Bangalore - 560 109.

*[Signature]*  
nature of the Principal

**Dr. K. RAMA NARASIMHA**  
Principal/Director  
K S School of Engineering and Management  
Bangalore - 560 109



**Kammavari Sangham (R)**  
**Stock Verification Report**

Department BASIC SCIENCE - CHEMISTRY  
Laboratory CHEMISTRY LABORATORY

Date 26/11/2022

Sl. No.	Equipment/Tool/Instrument/comodity	Stock Book Page No.	Quantity In stock	Supplied by	Date of Procurement	Invoic e No.	Price / Unit	Total Cost	Present condition of the	Rem arks
1	Pipette	41	65	pooja scientific	28/12/2021	7189	85	5950	working	
2	Volumetric flask (250 ml)	97	57	pooja scientific	15/03/2019	7189	245	15190	working	
3	Volumetric flask (50 ml)	49	16	pooja scientific	15/03/2019	7189	158	2528	working	
4	Water Bottle	53	85	Ragavendra Scientific words	15/03/2019	7189	55	4675	working	
5	Burette Clamp	71	25	pooja scientific	15/03/2019	7189	80	2800	working	
6	Bulb Pipette	65	50	pooja scientific	28/12/2021	7189	142	10610	working	
7	Thermometer	93	5	pooja scientific	28/12/2021	6202	190	760	working	
8	Weighing Bottle	92	30	Ragavendra Scientific words	15/09/2019	6202	62	1860	working	
9	Beaker ( 100 ml )	89	30	Ragavendra Scientific words	15/09/2019	6202	62	1860	working	
10	Reagent Bottle	91	55	vasa scientific co	8/3/2019	5442	30	1800	working	
11	Glass Rods	37	40	pooja scientific	15/03/2019	7189	10	400	working	
12	Dropper	34	16	pooja scientific	15/03/2019	7189	14	210	working	
13	Beakers(250 ml)	24	25	vasa scientific co	28/08/2019	4344	43	1075	working	
14	Funnel	81	17	vasa scientific co	31/10/2019	7228	9.4	165	working	
15	Beakers(2000 ml)	27	2	vasa scientific co	31/10/2019	7228	136	272	working	
16	Beakers(500 ml)	25	8	vasa scientific co	28/08/2019	4344	71	568	working	

Name of the verifier	Tejaswini G.V.		
Signature			
Designation	Assistant Professor		
Department	EEE		

Signature of the Lab Incharge

Signature of the HOD

Signature of the Principal

**S. G. VASUDEVA**  
Professor & Head  
Department of Basic Science  
KS School of Engineering and Management  
Bangalore - 560 109.

**Dr. K. RAMA NARASIMHA**  
Principal/Director  
KS School of Engineering and Management  
Bangalore - 560 109





**K.S. SCHOOL OF ENGINEERING AND MANAGEMENT, BENGALURU-560109**  
**DEPARTMENT OF APPLIED SCIENCE**

Date: 01/06/2023

**CIRCULAR**

The faculty lab in charge of Engineering Chemistry and Physics laboratory are instructed to submit the stock verification report on or before 15/06/2023.

A handwritten signature in black ink, appearing to read 'C. Vasudev', is positioned above the printed name.

**Head of the Department**  
**Dr. C. VASUDEV**  
Professor & HOD  
Department of Applied Science  
K.S. School of Engineering & Management  
Bangalore - 560 109





K.S. SCHOOL OF ENGINEERING AND MANAGEMENT, BENGALURU-560109  
DEPARTMENT OF APPLIED SCIENCE

Stock Verification for the Academic year 2022-2023

Name of the Laboratory	Lab In Charge	Name of the Internal Verifier	Signature of the Internal Verifier	Name of the External Verifier	Signature of the External Verifier
Engineering Chemistry	Dr. Anitha R	Dr. Radha H.R.		Prof. Tejaswini	
Engineering Physics	Prof. Pavithra J	Prof. Keerthi A		Prof. Hema Priya M	

Head of the Department  
**Dr. C. VASUDEV**  
Professor & HOD  
Department of Applied Science  
K.S. School of Engineering & Management  
Bangalore - 560 109



KSSEM

# Kammavari Sangham (R) Stock Verification Report

Date 05-06-2023

Department	CHEMISTRY
Laboratory	CHEMISTRY LABORATORY

Sl.No.	Equipment/ Tool/ Instrument/comodity	Stock Book Page No	Quantity in stock	Supplied by	Date of Procurement	Invoice No	Price / Unit	Total Cost	Present condition of the Equipment/ Tool/ Instrument/comodity (Working/under repair/Maintenance required/ scrap)	Remarks
1	Pipette	41	45	Ragavendra Scientific words	15/03/2019	7189	85	3825	working	
2	Volumetric flask (250 ml)	97	56	Ragavendra Scientific words	15/03/2019	7189	245	13720	working	
3	Volumetric flask (50 ml)	49	20	Ragavendra Scientific words	15/03/2019	7189	158	3160	working	
4	Water Bottle	53	85	Ragavendra Scientific words	15/03/2019	7189	55	4675	working	
5	Burette Clamp	71	8	pooja Scientific	28-12-2021	203	80	592	working	
6	Bulb Pipette	65	45	Ragavendra Scientific words	15/03/2019	7189	142	6390	working	
7	Thermometer	93	4	Ragavendra Scientific words	15/09/2019	6202	190	760	working	
8	Weighing Bottle	92	28	Ragavendra Scientific words	15/09/2019	6202	62	1736	working	
9	Beaker ( 100ml)	89	27	Ragavendra Scientific words	15/09/2019	6202	62	1674	working	
10	Reagent Bottle	91	70	vasa scientific co	03-08-2019	5442	30	2100	working	
11	Glass Rods	37	50	Ragavendra Scientific words	15/03/2019	7189	10	500	working	
12	Dropper	34	15	Ragavendra Scientific words	15/03/2019	7189	14	210	working	
13	Beakers(250 ml)	24	25	vasa scientific co	28/08/2019	4344	43	1075	working	
14	Funnel	81	22	vasa scientific co	31/10/2019	7228	9.4	206	working	
15	Beakers(2000 ml)	27	2	vasa scientific co	31/10/2019	7228	136	272	working	
16	Beakers(500 ml)	25	8	vasa scientific co	28/08/2019	4344	71	568	working	

Name of the verifier	Tejaswini G.V.		
Signature	<i>[Signature]</i>		
Designation	Assistant Professor		
Department	ECE		

*[Signature]*  
Signature of the Lab Incharge

*[Signature]*  
Signature of the HOD  
**Dr. C. VASUDEV**  
Professor & HOD  
Department of Applied Science

*[Signature]* 5/6/23  
Signature of the Principal  
**Dr. K. RAMA NARASIMHA**  
Principal/Director  
K S School of Engineering and Management  
Bengaluru - 560 109

K.S. School of Engineering & Management  
Bangalore - 560 109





**KSSEM**

Kanmavari Sangham (R)

K S SCHOOL OF ENGINEERING AND MANAGEMENT, BENGALURU - 109

Stock Verification Report

Date: 05/6/2023

Department	CHEMISTRY
Laboratory	CHEMISTRY LABORATORY

SLN o.	Equipment/ Tool/ Instrument/commodity	Stock Book Page No	Quantity in stock	Supplied by	Date of Procurement	Invoice No	Price / Unit	Total Cost	Present condition of the Equipment/ Tool/ Instrument/commodity (Working/under repair/Maintenance required/ scrap)	Remarks
1	Colorimeter	5	3	Vasa Scientific co	28/08/2010	CR4346	9539	28608	two working one not working	One should be Repair
2	Conductivity Meter	7	4	Vasa Scientific co	28/08/2010	CR4346	10300	41200	Three working and one not working	One should be Repair
3	Electronic Weighing Balance	3	1	Vasa Scientific co	28/08/2010	CR4346	65000	65000	Working	
4	FlamePhotometer	10	1	Vasa Scientific co	28/08/2010	CR4346	37880	37880	not Working	
5	Hot plate	14	2	Vasa Scientific co	28/08/2010	CR4346	7000	14000	working	
6	Hot air oven	13	1	Vasa Scientific co	28/08/2010	CR4346	29040	29040	Working	
7	Magnetic Stirrer	15	7	Vasa Scientific co	28/08/2010	CR4346	1214	9712	Working	
8	pH meter	16	4	Vasa Scientific co pooja Scientific	28/08/2010 28/12/2021	CR4346 203	7495 12750	22485 12750	Two working and one notworking	two should be Repair
9	Potentiometer	18	4	Vasa Scientific co pooja Scientific	28/08/2010 28/12/2021	CR4346 203	7495 12750	22485 12750	Two working and one notworking	two should be Repair
10	pH Electrode	17	4	pooja Scientific	28-12-2021	203	850	3400	working	
11	Conductivity Electrode	32	5	pooja Scientific	28-12-2021	203	825	4125	Working	
12	RO System	100	1	spectra sales and service	25-08-2010	349	12000	12000	Working	
13	Stop Watch	20	12	pooja Scientific	28-12-2021	203	260	3120	Working	
14	ViscoMeter	96	30	Vasa Scientific co	03-08-2019	CR1813076	250	7500	Working	
15	Burette	29	85	Vasa Scientific co	03-08-2019	CR1812239	406	34510	Working	
16	Conical Flask	94	50	Raghavendra Scientific Works	15/03/2018	7189	85	4845	Working	

Name of the verifier	Tejaswini G.V.		
Signature	<i>[Signature]</i>		
Designation	Assistant Professor		
Department	ECE		

*[Signature]*  
Signature of the Lab Incharge

*[Signature]*  
Signature of the HOD  
**Dr. C. VASUDEV**  
Professor & HOD

*[Signature]* 5/6/23  
Signature of the Principal  
**Dr. K. RAMA NARASIMHA**  
Principal/Director

Department of Applied Science  
K.S. School of Engineering & Management  
Bangalore - 560 109

K S School of Engineering and Management  
Bangalore - 560 109



**K.S. SCHOOL OF ENGINEERING AND MANAGEMENT, BENGALURU-560109**  
**DEPARTMENT OF APPLIED SCIENCE**

Date: 01/06/2023

**CIRCULAR**

The faculty lab in charge of Engineering Chemistry and Physics laboratory are instructed to submit the stock verification report on or before 15/06/2023.

**Head of the Department**  
**Dr. C. VASUDEV**  
Professor & HOD  
Department of Applied Science  
K.S. School of Engineering & Management  
Bangalore - 560 109



K.S. SCHOOL OF ENGINEERING AND MANAGEMENT, BENGALURU-560109  
DEPARTMENT OF APPLIED SCIENCE

Stock Verification for the Academic year 2022-2023

Name of the Laboratory	Lab In Charge	Name of the Internal Verifier	Signature of the Internal Verifier	Name of the External Verifier	Signature of the External Verifier
Engineering Chemistry	Dr. Anitha R	Dr. Radha H.R.		Prof. Tejaswini	
Engineering Physics	Prof. Pavithra J	Prof. Keerthi A		Prof. Hema Priya M	

Head of the Department  
**Dr. C. VASUDEV**  
Professor & HOD  
Department of Applied Science  
K.S. School of Engineering & Management  
Bangalore - 560 109





KSSEM

Kammavari Sangham (R)

# K S SCHOOL OF ENGINEERING AND MANAGEMENT

BENGALURU - 109

## Stock Verification Report

Department	PHYSICS DEPARTMENT
Laboratory	PHYSICS LABORATORY

Date: 05/06/2023

SLN o.	Equipment/ Tool/ Instrument/commodity	Stock Book Page No	Quantity in stock	Supplied by	Date of Procurement	Invoice No	Price / Unit	Total Cost	Present condition of the Equipment/ Tool/ Instrument/commodity (Working/under repair/Maintenance required/ scrap)	Remarks
16	RHEOSTAT 420 HM /2.8A	19	8	Dutta Scientific works (Madras)	21/09/2012	875	1200	2748	1 Maintenance required	
17	STOP CLOCK (MECHANICAL)	20	4	Kamaljeeth instruments	05-05-2010	4840	794.5	2383.5	3 under repair	
18	STOP CLOCK (DIGITAL)	21	7	Kamaljeeth instruments	22/10/2012	196/831139092	1140	3513.9	1 under repair	
19	THERMOMETER	22	12	Vishal Electronics	26/12/2017		350	1050	Working	
20	SLOTTED WEIGHT 5*20GM	23	17	Dutta Scientific works (Madras)	30/08/2012	756	60	343.5	Working	
21	TRANSISTOR CHARACTERISTICS APPARATUS (TRC 501)	24	8	Kamaljeeth instruments	22/10/2012	196/8311390920	5220	11953.8	3 Maintenance required	
22	TRAVELLING MICROSCOPE	25	8	Dutta Scientific works (Madras)	30/08/2012	756	6150	14083.5	3 Maintenance required	
23	UNIVERSAL B-H CURVE TRACER MITTAL MADE	26	8	Mittal Enterprises	20/09/2012	078/0212-13 (20-09-2012)	14800	33300	Working	
24	VOLTMETER DCV 301	27	17	Dutta Scientific works (Madras)	30/08/2012	756	1500	3435	3 under repair	
25	TORSIONAL PENDULUM SET UP STAND HEAVY WITH BOSS HEAD AND CLAMP & WIRE CIRCULAR DISC	28	3	Dutta Scientific works (Madras)	16/09/2014	662	1330	4568.55	Working	
26	SPARE RECTANGULAR PLATE & SPARE IRREGULAR PLATE	29	2	Dutta Scientific works (Madras)	16/09/2014	662	750	858.75	Working	
27	NEWTONS RING MICROSCOPE	30	3	Dutta Scientific works (Madras)	16/09/2014	662	5600	19236	Working	
28	Sodium Vapour Lamp house	31	1	Dutta Scientific works (Madras)	16/09/2014	662	3975	4551.5	Working	
29	Photodiode Experiment set up pd-501	45	3	Kamaljeeth instruments	13/10/2014	201	7000	24045	1 under repair	
30	Soldering Gun	46	2	Vishal Electronics	13/02/2015 26/12/2017	CB14003 41517640	395 220	615	1 scrap	
31	Magnetic Field Intensity- Set		3	SLN Edu Tech	01-03-2022	11101	7500	22500	Working	
32	Spring Constant- Set		3	Kamaljeeth instruments	18/12/2021	2021-22/157	1400	4200	Working	

Name of the verifier	Internal	External
Signature	<i>[Signature]</i>	<i>[Signature]</i>
Designation	Assistant Professor	Assistant Professor
Department	Applied Science	ECE

*[Signature]*  
Signature of the Lab Incharge

*[Signature]*  
Dr. C. VASUDEVA  
Professor & HOD

*[Signature]*  
Dr. K. RAMA NARASIMHA  
Principal/Director



**KSSEM**

**K S SCHOOL OF ENGINEERING AND MANAGEMENT**  
 Kammavari Sangham (R)  
 BENGALURU - 109

**Stock Verification Report**

Date: 05/06/2023

Department: **PHYSICS DEPARTMENT**  
 Laboratory: **PHYSICS LABORATORY**

S/LN	Equipment/Tool/ Instrument/commodity	Stock Book Page No	Quantity In stock	Supplied by	Date of Procurement	Invoice No	Price / Unit	Total Cost	Present condition of the Equipment/ Tool/ Instrument/ commodity (Working/ under repair/ Maintenance required/ scrap)	Remarks
1	AC ADAPTOR	4	12	Kamalleeth instruments	22/8/2011	6980	378	1292.76	Working	
2	AMMETER	5	10	Dutta Scientific works (Madras)	30/08/2012	756	1500	3435	Working	
3	BATTERY ELIMINATOR	6	10	Dutta Scientific works (Madras)	30/08/2012	756	925	218.25	2 under repair	
4	BEAKER	7	8	Dutta Scientific works (Madras)	30/08/2012	756	95	108.77	Working	
5	ZENER DIODE	8	8	Kamalleeth instruments	22/10/2012	196/8311390	4500	10305	Working	
6	CHARACTERISTICS	9	27	Pravesh trading corporation	22/08/2011	9563	62	753	Working	
7	CIRCUIT BOX	10	8	Applab Limited	25/09/2012	12510103	8957.35	18899.6	Working	
8	FIBER PLATES	11	27	Sunab Cables	22/09/2012	756	52	631	Working	
9	GRATING (500 LP)	12	8	Dutta Scientific works (Madras)	30/08/2012	4840	1200	2748	Working	
10	GALVANO METER	13	3	Kamalleeth instruments	05-05-2010	196/8311390	200	670.36	2 Laser source under repair	
11	LASER DIFFRACTION SET	14	8	Kamalleeth instruments	22/10/2012	875	240	549.6	Working	
12	KNIFE EDGE STAND	15	16	Dutta Scientific works (Madras)	05-05-2010	4840	1042.78	3128.34	Working	
13	METER BRIDGE	16	3	Kamalleeth instruments	16/09/2014	662	1900	6526	3 under repair	
14	MILLI AMMETER	17	11	Dutta Scientific works (Madras)					Working	
15	OSCILLOSCOPE (30mhz 2ch & trade)	18	8	Falcon Electro tech	09-06-2012	12-13/0525	16000	33600	Working	Transferred to CS dept through proper channel in good condition

Name of the verifier	Internal	External
Signature	<i>[Signature]</i>	<i>[Signature]</i>
Designation	Assistant Professor	Assistant Professor
Department	Applied	ECE

Signature of the Lab Incharge

Signature of the Principal  
**Dr. K. RAMANARASIMHA**

Signature of the Principal  
**Dr. K. RAMANARASIMHA**

Professor & HOD

Department of Applied Science

K S School of Engineering and Management  
 Bengaluru - 560 109