



Kammavari Sangham (R)
K S SCHOOL OF ENGINEERING AND MANAGEMENT
 BENGALURU - 109

Stock Verification Report- JUNE 2014-2015

Department Computer Science and Engineering
 Laboratory ECLD LAB

DATE 10-jun-15

| SL.N o. | Equipment/ Tool/ Instrument/comodity | Stock Book Page No | Quantity in stock | Supplied by | Date of Procurement | Invoice No | Price / Unit | Total Cost | Present condition of the Equipment/ Tool/ Instrument/comodity (Working/under) | Remarks |
|---------|--|--------------------|-------------------|---|---------------------|----------------|--------------|------------|---|---------|
| 1 | DESKTOP- Lenovo Destop M70(4089AG1) Lenovo ThinkCentreM72e(3597) Lenovo ThinkCentreM72e(3156) | 48-49 | 17+12 | Geetha MonitorPVT LTD #3B/1. 1ST FLOOR N S IYENGAR STREET SESHADRI PURAM BENGALURU-560020 | 2/12/2011 | 5503/2011-2012 | 18,000 | 5 22,000 | Certy that all the 29 systems working satisfactorily | |
| 2 | FALCON FFT color digital storage oscilloscope (CRO) 25MHz, 250 ms/s | 1 | 5 | Falcon electro-tek pvt ltd | 28-06-2011 | FETK/11-12/230 | 14725 | 73625 | Working satisfactorily | |
| 3 | FALCON multichannel power supply 0-30V/2A variable 5v fixed | 1 | 5 | Falcon electro-tek pvt ltd | 28-06-2011 | FETK/11-12/230 | 4275 | 21375 | Working satisfactorily | |
| 4 | FALCON Dual trace Analog oscilloscope (CRO) 30MHZ | 1-2 | 5 | Falcon electro-tek pvt ltd | 28-07-2011 | FETK/11-12/329 | 12825 | 64125 | Working satisfactorily | |
| 5 | AP LAB digital Multimeter 3 3/4 digit VC97 | 2 | 5 | Aplab limited | 31-05-2011 | 11520142 | 1331 | 6658 | Working satisfactorily | |
| 6 | AP LAB Multiwave form signal generator 3MHz | 2 | 5 | Aplab limited | 31-05-2011 | 115 | 7000 | 35000 | Working satisfactorily | |
| 7 | MICRO LOGICS Digital IC trainer kit 40 pin zif socket | 3 | 3 | Micro Logics | 30-06-2011 | 380 | 6900 | 20700 | Working satisfactorily | |
| 8 | MICRO LOGICS Digital IC trainer kit with Bread Board | 3 | 3 | Micro Logics | 30-06-2011 | 380 | 6400 | 19200 | Working satisfactorily | |
| 9 | MICRO LOGICS Decade Resistance Box with 6 dials | 4 | 5 | Micro Logics | 30-06-2011 | 380 | 1650 | 8250 | Working satisfactorily | |
| 10 | MICRO LOGICS Decade Inductance Box with 5 dials | 4 | 5 | Micro Logics | 30-06-2011 | 380 | 1650 | 8250 | Working satisfactorily | |
| 11 | MICRO LOGICS Decade Capacitance Box with 5 dials | 4 | 5 | Micro Logics | 30-06-2011 | 380 | 1650 | 8250 | Working satisfactorily | |
| 12 | UDAY ENGINEERS Analog and digital IC Tester | 5 | 1 | Uday engineers | 30-06-2011 | 7 | 19500 | 19500 | Working satisfactorily | |
| 13 | UDAY ENGINEERS 10 pin spring Board with 40 pin ZIF socket | 5 | 5 | Uday engineers | 30-06-2011 | 7 | 966 | 4830 | Working satisfactorily | |
| 14 | UDAY ENGINEERS 40 pin spring Board | 5 | 5 | Uday engineers | 30-06-2011 | 7 | 588 | 2840 | Working satisfactorily | |
| 15 | Consumables (capacitors, resistors, IC) | 6 | | SRI BSK SALES & SERVICES | 27-11-2018 | 265 | | 13385 | Working satisfactorily | |

| | | | | |
|----------------------|------------------------|------------------------|----------------------------|-----------------------|
| Name of the verifier | <u>M. Anu DE</u> | <u>U. Channabasava</u> | <u>Sandhya A. Kulkarni</u> | <u>K. RAJESH</u> |
| Signature | | | | |
| Designation | <u>Asst. Professor</u> | <u>ASST. Prof</u> | <u>Asst. prof</u> | <u>System Analyst</u> |
| Department | <u>ECE</u> | <u>CSE</u> | <u>CSE</u> | <u>CSE</u> |

Signature of the Lab Incharge

Signature of the HOD

Signature of the Principal
Principal / Director

HOD
 Dept. of Computer Science & Engineering
 K.S. School of Engineering & Management
 Bangalore-560 062

K.S School of Engineering & Management
 Bangalore-560 062



Kammavari Sangham (R)

K S SCHOOL OF ENGINEERING AND MANAGEMENT

BENGALURU - 109

Stock Verification Report-JUNE 2015-16

Department Computer Science and Engineering
 Laboratory ECLD LAB

DATE: 11 Jun 16

| Sl. No. | Equipment/ Tool/ Instrument/commodity | Stock Book Page No | Quantity in stock | Supplied by | Date of Procurement | Invoice No | Price / Unit | Total Cost | Present condition of the Equipment/ Tool/ Instrument/commodity (Working/under repair/Maintenance required/ scrap) | Remarks |
|---------|--|--------------------|-------------------|---|---------------------|----------------|--------------|------------|---|---------|
| 1 | DESKTOP- Lenovo Destop M70(4089AG1) Lenovo ThinkCentreM72e(3597) Lenovo ThinkCentreM72e(3156) | 48-49 | 17+12 | Geetha MonitorPVT LTD #3B/L, 1ST FLOOR N S IYENGAR STREET SESHADRIPU RAM BENGALURU-560020 | 2/12/2011 | 5503/2011-2012 | 18,000 | 5,22,000 | Certify that all the 29 systems working satisfactorily | |
| 2 | FALCON FFT color digital storage oscilloscope (CRO) 25MHz, 250 ms/s | 1 | 5 | Falcon electro tek pvt ltd | 28-06-2011 | FETK/11-12/230 | 14725 | 73625 | Working satisfactorily | |
| 3 | FALCON multichannel power supply 0-30V/2A variable 5v fixed | 1 | 5 | Falcon electro tek pvt ltd | 28-06-2011 | FETK/11-12/230 | 4275 | 21375 | Working satisfactorily | |
| 4 | FALCON Dual trace Analog oscilloscope (CRO) 30MHz | 1-2. | 5 | Falcon electro tek pvt ltd | 28-07-2011 | FETK/11-12/329 | 12825 | 64125 | Working satisfactorily | |
| 5 | AP LAB digital Multimeter 3 3/4 digit VC97 | 2 | 5 | Aplab limited | 31-05-2011 | 11520142 | 1331 | 6658 | Working satisfactorily | |
| 6 | AP LAB Multiwave form signal generator 3MHz | 2 | 5 | Aplab limited | 31-05-2011 | 115 | 7000 | 35000 | Working satisfactorily | |
| 7 | MICRO LOGICS Digital IC trainer kit 40 pin zif socket | 3 | 3 | Micro Logics | 30-06-2011 | 380 | 6900 | 20700 | Working satisfactorily | |
| 8 | MICRO LOGICS Digital IC trainer kit with Bread Board | 3 | 3 | Micro Logics | 30-06-2011 | 380 | 6400 | 19200 | Working satisfactorily | |
| 9 | MICRO LOGICS Decade Resistance Box with 6 dials | 4 | 5 | Micro Logics | 30-06-2011 | 380 | 1650 | 8250 | Working satisfactorily | |
| 10 | MICRO LOGICS Decade Inductance Box with 5 dials | 4 | 5 | Micro Logics | 30-06-2011 | 380 | 1650 | 8250 | Working satisfactorily | |
| 11 | MICRO LOGICS Decade Capacitance Box with 5 dials | 4 | 5 | Micro Logics | 30-06-2011 | 380 | 1650 | 8250 | Working satisfactorily | |
| 12 | UDAY ENGINEERS Analog and digital IC Tester | 5 | 1 | Uday engineers | 30-06-2011 | 7 | 19500 | 19500 | Working satisfactorily | |
| 13 | UDAY ENGINEERS 10 pin spring Board with 40 pin ZIF socket | 5 | 5 | Uday engineers | 30-06-2011 | 7 | 966 | 4830 | Working satisfactorily | |
| 14 | UDAY ENGINEERS 40 pin spring Board | 5 | 5 | Uday engineers | 30-06-2011 | 7 | 588 | 2840 | Working satisfactorily | |
| 15 | Consumables (capacitors, resistors, IC) | 6 | | SRI BSK SALES & SERVICES | 27-11-2018 | 265 | | 13385 | Working satisfactorily | |

| | | | | |
|-------------------------------|--------------------|--------------------|--------------------|--------------------|
| Name of the verifier | Manu D.K | U.Channabasavaiah | S. Sathosh Kumar | K. RAJESH |
| Signature | <i>[Signature]</i> | <i>[Signature]</i> | <i>[Signature]</i> | <i>[Signature]</i> |
| Designation | Asst. Professor | ASST. Prof | Asst. Prof | System Analyst |
| Department | ECE | CSE | CSE | CSE |
| Signature of the Lab Incharge | <i>[Signature]</i> | <i>[Signature]</i> | <i>[Signature]</i> | <i>[Signature]</i> |

HOD
 Dept. of Computer Science & Engineering
 K.S. School of Engineering & Management
 Bangalore-560 082

[Signature]
 Principal / Director
 K.S. School of Engineering & Management
 Bangalore-560 082



K S SCHOOL OF ENGINEERING AND MANAGEMENT

Kammavari Sangham (R)

BENGALURU - 109

Department Computer Science and Engineering
 Laboratory ECLD LAB

Stock Verification Report-JUNE 2016-17

DATE: 8-Jun-17

| Sl. No. | Equipment/ Tool/ Instrument/commodity | Stock Book Page No | Quantity in stock | Supplied by | Date of Procurement | Invoice No | Price / Unit | Total Cost | Present condition of the Equipment/ Tool/ Instrument/commodity (Working/under repair/Maintenance required/ scrap) | Remarks |
|---------|---|--------------------|-------------------|---|---------------------|----------------|--------------|------------|---|---------|
| 1 | DESTOP- Lenovo Destop M70(4089AG1) Lenovo ThinkCentreM72e(3597) Lenovo ThinkCentreM72e(3156) | 48-49 | 17+12 | Geetha MonitorPVT LTD #38/1, 1ST FLOOR N S IYENGAR STREET SESHADRIPU RAM BENGALURU-560020 | 2/12/2011 | 5503/2011-2012 | 18,000 | 5,22,000 | Certify that all the 29 systems working satisfactorily | |
| 2 | FALCON FFT color digital storage oscilloscope (CRO) 25MHz, 250 ms/s | 1 | 5 | Falcon electro-tek pvt ltd | 28-06-2011 | FETK/1112/230 | 14725 | 73625 | Working satisfactorily | |
| 3 | FALCON multichannel power supply 0-30V/2A variable 5v fixed | 1 | 5 | Falcon electro-tek pvt ltd | 28-06-2011 | FETK/1112/230 | 4275 | 21375 | Working satisfactorily | |
| 4 | FALCON Dual trace Analog oscilloscope (CRO) 30MHz | 1-2 | 5 | Falcon electro-tek pvt ltd | 28-07-2011 | FETK/1112/329 | 12825 | 64125 | Working satisfactorily | |
| 5 | AP LAB digital Multimeter 3 3/4 digit VC97 | 2 | 5 | Aplab limited | 31-05-2011 | 1.2E+07 | 1331 | 6658 | Working satisfactorily | |
| 6 | AP LAB Multiwave form signal generator 3MHz | 2 | 5 | Aplab limited | 31-05-2011 | 115 | 7000 | 35000 | Working satisfactorily | |
| 7 | MICRO LOGICS Digital IC trainer kit 40 pin zif socket | 3 | 3 | Micro Logics | 30-06-2011 | 380 | 6900 | 20700 | Working satisfactorily | |
| 8 | MICRO LOGICS Digital IC trainer kit with Bread Board | 3 | 3 | Micro Logics | 30-06-2011 | 380 | 6400 | 19200 | Working satisfactorily | |
| 9 | MICRO LOGICS Decade Resistance Box with 6 dials | 4 | 5 | Micro Logics | 30-06-2011 | 380 | 1650 | 8250 | Working satisfactorily | |
| 10 | MICRO LOGICS Decade Inductance Box with 5 dials | 4 | 5 | Micro Logics | 30-06-2011 | 380 | 1650 | 8250 | Working satisfactorily | |
| 11 | MICRO LOGICS Decade Capacitance Box with 5 dials | 4 | 5 | Micro Logics | 30-06-2011 | 380 | 1650 | 8250 | Working satisfactorily | |
| 12 | UDAY ENGINEERS Analog and digital IC Tester | 5 | 1 | Uday engineers | 30-06-2011 | 7 | 19500 | 19500 | Working satisfactorily | |
| 13 | UDAY ENGINEERS 10 pin spring Board with 40 pin ZIF socket | 5 | 5 | Uday engineers | 30-06-2011 | 7 | 966 | 4830 | Working satisfactorily | |
| 14 | UDAY ENGINEERS 40 pin spring Board | 5 | 5 | Uday engineers | 30-06-2011 | 7 | 588 | 2840 | Working satisfactorily | |
| 15 | Consumables (capacitors, resistors, IC) | 6 | | SRI BSK SALES & SERVICES | 27-11-2018 | 265 | | 13385 | Working satisfactorily | |

| | | | | |
|----------------------|------------------------|-------------------------|----------------------------|-----------------------|
| Name of the verifier | <u>MANU D.K</u> | <u>V. Channabasanna</u> | <u>Sandhya A. Kulkarni</u> | <u>K. RAJESH</u> |
| Signature | <u>[Signature]</u> | <u>[Signature]</u> | <u>[Signature]</u> | <u>[Signature]</u> |
| Designation | <u>Asst. Professor</u> | <u>ASST. Prof</u> | <u>Assistant Professor</u> | <u>System Analyst</u> |
| Department | <u>ECE</u> | <u>CSE</u> | <u>CSE</u> | <u>CSE</u> |

Signature of the Lab Incharge: [Signature]
Signature of the HOD: [Signature]
Signature of the Principal: [Signature]

Dept. of Computer Science & Engineering
 K.S. School of Engineering & Management
 Bangalore-560 062

Principal / Director
 K.S. School of Engineering & Management
 Bangalore-560 062



K S SCHOOL OF ENGINEERING AND MANAGEMENT

Kammavari Sangham (R)

BENGALURU - 109

Stock Verification Report- JUNE 2017-18

Department Computer Science and Engineering
 Laboratory ADE LAB

DATE 9-Jun-18

| Sl.N o. | Equipment/ Tool/ Instrument/comodity | Stock Book Page No | Quantity in stock | Supplied by | Date of Procurement | Invoice No | Price / Unit | Total Cost | Present condition of the Equipment/ Tool/ Instrument/comodity (Working/under repair/Maintenance required/ scrap) | Remarks |
|---------|---|--------------------|-------------------|--|---------------------|------------------------|--------------|------------|--|---------|
| 1 | DESTOP- Lenovo Destop M70(4089AG1) Lenovo ThinkCentreM72e(3597) Lenovo ThinkCentreM72e(3156) | 48-49 | 17+12 | Geetha MonitorPVT LTD #38/1, 1ST FLOOR N SIYENGAR STREET SESHADRIPU RAM BENGALURU- 560020 | 2/12/2011 | 5503/20 11-2012 | 18,000 | 5,22,000 | Certify that all the 29 systems working satisfactorily | |
| 2 | FALCON FFT color digital storage oscilloscope (CRO) 25MHz, 250 ms/s | 1 | 5 | Falcon electro-tek pvt ltd | 28-06-2011 | FETK/1 1- 12/230 | 14725 | 73625 | Working satisfactorily | |
| 3 | FALCON multichannel power supply 0-30V/2A variable 5v fixed | 1 | 5 | Falcon electro-tek pvt ltd | 28-06-2011 | FETK/1 1- 12/230 | 4275 | 21375 | Working satisfactorily | |
| 4 | FALCON Dual trace Analog oscilloscope (CRO) 30MHz | 1-2 | 5 | Falcon electro-tek pvt ltd | 28-07-2011 | FETK/1 1- 12/329 | 12825 | 64125 | Working satisfactorily | |
| 5 | AP LAB digital Multimeter 3 3/4 digit VC97 | 2 | 5 | Aplab limited | 31-05-2011 | 1E+07 | 1331 | 6658 | Working satisfactorily | |
| 6 | AP LAB Multiwave form signal generator 3MHz | 2 | 5 | Aplab limited | 31-05-2011 | 115 | 7000 | 35000 | Working satisfactorily | |
| 7 | MICRO LOGICS Digital IC trainer kit 40 pin zif socket | 3 | 3 | Micro Logics | 30-06-2011 | 380 | 6900 | 20700 | Working satisfactorily | |
| 8 | MICRO LOGICS Digital IC trainer kit with Bread Board | 3 | 3 | Micro Logics | 30-06-2011 | 380 | 6400 | 19200 | Working satisfactorily | |
| 9 | MICRO LOGICS Decade Resistance Box with 6 dials | 4 | 5 | Micro Logics | 30-06-2011 | 380 | 1650 | 8250 | Working satisfactorily | |
| 10 | MICRO LOGICS Decade Inductance Box with 5 dials | 4 | 5 | Micro Logics | 30-06-2011 | 380 | 1650 | 8250 | Working satisfactorily | |
| 11 | MICRO LOGICS Decade Capacitance Box with 5 dials | 4 | 5 | Micro Logics | 30-06-2011 | 380 | 1650 | 8250 | Working satisfactorily | |
| 12 | UDAY ENGINEERS Analog and digital IC Tester | 5 | 1 | Uday engineers | 30-06-2011 | 7 | 19500 | 19500 | Working satisfactorily | |
| 13 | UDAY ENGINEERS 10 pin spring Board with 40 pin ZIF socket | 5 | 5 | Uday engineers | 30-06-2011 | 7 | 966 | 4830 | Working satisfactorily | |
| 14 | UDAY ENGINEERS 40 pin spring Board | 5 | 5 | Uday engineers | 30-06-2011 | 7 | 588 | 2840 | Working satisfactorily | |
| 15 | Consumables (capacitors, resistors, IC) | 6 | | SRI BSK SALES & SERVICES | 27-11-2018 | 265 | | 13385 | Working satisfactorily | |

| | | | | |
|----------------------|------------------------|-----------------------|----------------------------|-----------------------|
| Name of the verifier | <u>MANU J.E</u> | <u>V.Channabasava</u> | <u>Sandhya A. Kulkarni</u> | <u>K-RAJESH</u> |
| Signature | <u>[Signature]</u> | <u>[Signature]</u> | <u>[Signature]</u> | <u>[Signature]</u> |
| Designation | <u>Asst. Professor</u> | <u>Asst. Prof</u> | <u>Assistant professor</u> | <u>System Analyst</u> |
| Department | <u>ECE</u> | <u>CSE</u> | <u>CSE</u> | <u>CSE</u> |

Signature of the Lab Incharge [Signature]

Signature of the HOD [Signature]

Signature of the Principal [Signature]

Dept. of Computer Science & Engineering
 K.S. School of Engineering & Management
 Bangalore-560 062

Principal / Director
 K.S. School of Engineering & Management
 Bangalore-560 062



K S SCHOOL OF ENGINEERING AND MANAGEMENT

Kammavari Sangham (R)

BENGALURU - 109

Stock Verification Report-2018-19

Department Computer Science and Engineering
 Laboratory ADE LAB

DATE 11 Jun 19

| SL.N o. | Equipment/ Tool/ Instrument/commodity | Stock Book Page No | Quantity in stock | Supplied by | Date of Procurement | Invoice No | Price / Unit | Total Cost | Present condition of the Equipment/ Tool/ Instrument/commodity (Working/under repair/Maintenance required/ scrap) | Remarks |
|---------|---|--------------------|-------------------|---|---------------------|--------------------|--------------|------------|---|---------|
| 1 | DESTOP- Lenovo Destop M70(4089AG1) Lenovo ThinkCentreM72e(3597) Lenovo ThinkCentreM72e(3156) | 48-49 | 17+12 | Geetha MonitorPVT LTD #3B/1, 1ST FLOOR N S IYENGAR STREET SESHADRIPU RAM BENGALURU- 560020 | 2/12/2011 | 5503/201 1-2012 | 18,000 | 5,22,000 | Certify that all the 29 systems working satisfactorily under that 2monitors are under repair | |
| 2 | FALCON FFT color digital storage oscilloscope (CRO) 25MHz, 250 ms/s | 1 | 5 | Falcon electro-tek pvt ltd | 28-06-2011 | FETK/11-12/230 | 14725 | 73625 | Working satisfactorily | |
| 3 | FALCON multichannel power supply 0-30V/2A variable 5v fixed | 1 | 5 | Falcon electro-tek pvt ltd | 28-06-2011 | FETK/11-12/230 | 4275 | 21375 | Working satisfactorily | |
| 4 | FALCON Dual trace Analog oscilloscope (CRO) 30MHz | 1-2 | 5 | Falcon electro-tek pvt ltd | 28-07-2011 | FETK/11-12/329 | 12825 | 64125 | Working satisfactorily | |
| 5 | AP LAB digital Multimeter 3 3/4 digit VC97 | 2 | 5 | Aplab limited | 31-05-2011 | 11520142 | 1331 | 6658 | Working satisfactorily | |
| 6 | AP LAB Multiwave form signal generator 3MHz | 2 | 5 | Aplab limited | 31-05-2011 | 115 | 7000 | 35000 | Working satisfactorily | |
| 7 | MICRO LOGICS Digital IC trainer kit 40 pin zif socket | 3 | 3 | Micro Logics | 30-06-2011 | 380 | 6900 | 20700 | Working satisfactorily | |
| 8 | MICRO LOGICS Digital IC trainer kit with Bread Board | 3 | 3 | Micro Logics | 30-06-2011 | 380 | 6400 | 19200 | Working satisfactorily | |
| 9 | MICRO LOGICS Decade Resistance Box with 6 dials | 4 | 5 | Micro Logics | 30-06-2011 | 380 | 1650 | 8250 | Working satisfactorily | |
| 10 | MICRO LOGICS Decade Inductance Box with 5 dials | 4 | 5 | Micro Logics | 30-06-2011 | 380 | 1650 | 8250 | Working satisfactorily | |
| 11 | MICRO LOGICS Decade Capacitance Box with 5 dials | 4 | 5 | Micro Logics | 30-06-2011 | 380 | 1650 | 8250 | Working satisfactorily | |
| 12 | UDAY ENGINEERS Analog and digital IC Tester | 5 | 1 | Uday engineers | 30-06-2011 | 7 | 19500 | 19500 | Working satisfactorily | |
| 13 | UDAY ENGINEERS 10 pin spring Board with 40 pin ZIF socket | 5 | 5 | Uday engineers | 30-06-2011 | 7 | 966 | 4830 | Working satisfactorily | |
| 14 | UDAY ENGINEERS 40 pin spring Board | 5 | 5 | Uday engineers | 30-06-2011 | 7 | 588 | 2840 | Working satisfactorily | |
| 15 | Consumables (capacitors, resistors, IC) | 6 | | SRI BSK SALES & SERVICES | 27-11-2018 | 265 | | 13395 | Working satisfactorily | |

| | | | | |
|----------------------|-------------------------------|---------------------------|------------------------|----------------------------|
| Name of the verifier | <i>Uppaladevatha</i> | <i>V. Channabasavaiah</i> | <i>Santosh Kumar J</i> | <i>K. RAJESH</i> |
| Signature | <i>Uppaladevatha</i> | <i>VCS</i> | <i>Santosh</i> | <i>Rajesh</i> |
| Designation | <i>Associate Prof</i> | <i>ASST. Prof</i> | <i>ASST. Prof</i> | <i>System Analyst</i> |
| Department | <i>ECE</i> | <i>CSE</i> | <i>CSE</i> | <i>CSE</i> |
| | <i>Santosh</i> | <i>Venus</i> | | <i>K. Ramani</i> |
| | Signature of the Lab Incharge | Signature of the HOD | | Signature of the Principal |

HOD
 Dept. of Computer Science & Engineering
 K.S. School of Engineering & Management
 Bangalore-560 062

Principal/Director
 K. S. School Of Engineering & Management
 BENGALURU--560 109.